

APDatec 85



Durability

refer to Silicone

Colour

transparent

Yarn

Glass silk

Food approval

conformity to FDA

REACH

conformity to 1907/2006/EC

RoHS

Conformity to Guideline 2015/863 (RoHS 3)

Material

Silicone

empty

85.JPG

important advices

For proper use of our products please note

Interesting facts about hoses

All technical Data are according to ISO-Standard and at 20 °C ambient and medium temperature, technical changes reserved.

APDatec 85

Nr.	Inside Diameter in mm	Outside Diameter in mm	Wall Thickness	Working Pressure bar	Bursting Pressure bar	Length in m
85 003 30	3	9	3	17	51	25
85 004 30	4	10	3	20	60	25
85 005 30	5	11	3	11,6	35	25
85 006 30	6	12	3	10	30	25
85 008 35	8	15	3,5	8	24	25
85 010 35	10	17	3,5	8	24	25
85 0125 35	12,5	19,5	3,5	6	18	25
85 014 35	14	21	3,5	6	18	25
85 016 50	16	26	5	7,3	22	25
85 019 55	19	30	5,5	6,6	20	25
85 025 60	25	37	6	5	15	25